

## Table of Contents

### Introduction

1.	Principles of Vibration and Acoustics for Guitar Designers .....	1-1
1.1.	Sound and How We Hear .....	1-2
1.1.1.	What is sound? .....	1-2
1.1.2.	The ear .....	1-6
1.1.2.1.	The anatomy of the ear .....	1-6
1.1.2.2.	Roughness .....	1-9
1.1.2.3.	Masking .....	1-12
1.1.3.	Consequences for guitar designers of how we hear .....	1-15
1.1.4.	Section summary .....	1-16
1.2.	Simple harmonic motion .....	1-18
1.2.1.	Mathematical definition of simple harmonic motion .....	1-18
1.2.2.	Geometrical model of simple harmonic motion .....	1-18
1.2.3.	The period of simple harmonic motion .....	1-19
1.2.4.	An example of simple harmonic motion .....	1-19
1.2.5.	The energy embodied in simple harmonic motion .....	1-22
1.3.	Introduction to the mechanics of beams .....	1-25
1.3.1.	Stiffness of simple beams .....	1-25
1.3.2.	The mass of a simple beam .....	1-26
1.3.3.	Vibrating systems .....	1-26
1.4.	Resonance and vibration sensitivity .....	1-28
1.4.1.	Simple resonators .....	1-28
1.4.2.	The Helmholtz resonator .....	1-30
1.4.3.	Damped simple resonators .....	1-32
1.4.4.	Driven, damped simple resonators – strings driving soundboards .....	1-33
1.4.5.	The detailed behaviour of a simple driven resonator .....	1-39
1.4.6.	The Q-Factor .....	1-42
1.4.7.	Mechanical Impedance .....	1-44
1.4.8.	Impedance (mis)matching .....	1-45
1.4.9.	Impedance, admittance and the high performance guitar .....	1-46
1.4.10.	Beats .....	1-48
1.5.	Vibrations in strings and the forces they exert .....	1-50
1.5.1.	Types of waves in strings – frame of reference .....	1-50
1.5.2.	Transverse waves in strings .....	1-51
1.5.3.	Wave partials and harmonicity .....	1-52
1.5.4.	Waves in “ideal” strings .....	1-53
1.5.5.	Forces on the terminations of an ideal string .....	1-54
1.5.6.	Real strings .....	1-58
1.5.7.	Plucking at places other than the centre .....	1-60
1.5.8.	Forces exerted by a string on a soundboard .....	1-63
1.5.9.	Strings with bending stiffness .....	1-66
1.5.10.	Section summary .....	1-71
1.6.	Introduction to vibrations of bars and plates – strings driving soundboards .....	1-72
1.6.1.	Vibrations of bars .....	1-72
1.6.2.	Vibrations of plates with free edges .....	1-73
1.6.3.	Vibrations of flat plates fixed around their edges .....	1-74
1.6.4.	Guitar vibration modes excited by the string forces .....	1-76
1.6.5.	Vibrations of curved plates (spherical shells) .....	1-78
1.7.	Sound radiation from a guitar .....	1-81
1.7.1.	How sound is radiated by a guitar .....	1-81
1.7.2.	Monopole sound radiation and specific mobility .....	1-89
1.7.3.	Monopole mobility and the frequency response curve .....	1-91
1.7.4.	The anatomy of a plucked note .....	1-92
1.7.5.	Sound radiation from the guitar cavity at middle frequencies .....	1-93
1.7.6.	Sound radiation and directivity .....	1-95
1.7.7.	Chapter Summary .....	1-100

2.	Analytical Guitar Models and their Use .....	2-2
2.1.	Coupled resonators and simple low frequency guitar models .....	2-2
2.2.	Coupled resonators.....	2-3
2.2.1.	Two mass coupled resonator .....	2-4
2.3.	2-DOF model of a guitar's low frequency response .....	2-8
2.3.1.	Low frequency response of a guitar with a stiff back.....	2-8
2.3.2.	Two mass coupled resonator model for guitars .....	2-10
2.3.3.	Using the 2-DOF model to determine $f_h$ .....	2-13
2.3.4.	Direct determination of the Helmholtz frequency.....	2-14
2.3.5.	Use of the 2-DOF model in the workshop .....	2-15
2.3.6.	Using the 2-DOF model for guitars with live backs.....	2-17
2.3.7.	Some unusual features of guitar shaped cavities.....	2-17
2.3.8.	"Live back" guitar low frequency response .....	2-18
2.3.9.	Coupled top plate and back plate guitar model .....	2-19
2.3.10.	Target values for the main top and main air resonances .....	2-24
2.3.11.	Investigative modelling – working in the frequency domain .....	2-25
2.3.12.	Empirical adjustment of plate frequencies .....	2-26
2.3.12.1.	Top response to small perturbations in mass.....	2-27
2.3.12.2.	Guitar response to side mass .....	2-28
2.4.	Simulation of a guitar's frequency response .....	2-31
2.4.1.	A 4-DOF model of low frequency guitar function .....	2-32
2.4.1.1.	4-DOF model sensitivity analysis .....	2-38
2.4.1.2.	4-DOF model and "live" backs .....	2-40
2.4.2.	The behaviour of superimposed simple sound sources .....	2-42
2.4.3.	Combining the 4-DOF model with superimposed simple sources.....	2-46
2.5.	Coupling of strings to soundboards .....	2-50
2.6.	Chapter Summary .....	2-51
3.	The Design Objective - The Perfect Guitar .....	3-2
3.1.	Playability .....	3-2
3.1.1.	Plucking hand feel .....	3-3
3.1.2.	Fretting hand feel .....	3-4
3.1.2.1.	Scale length .....	3-4
3.1.2.2.	Tuneability .....	3-5
3.1.2.3.	Action.....	3-6
3.1.2.4.	String height at the nut.....	3-9
3.1.2.5.	Relief.....	3-9
3.1.2.6.	Fretboard curvature.....	3-11
3.1.2.7.	Neck profile/nut width.....	3-12
3.1.2.8.	Frets .....	3-13
3.1.2.9.	Neck finish .....	3-14
3.1.2.10.	Neck to body joint position; cutaways .....	3-14
3.1.2.11.	Number of frets .....	3-15
3.2.	Musicality .....	3-15
3.2.1.	Consonance and dissonance.....	3-15
3.2.1.1.	Experimental demonstration of consonance and dissonance .....	3-16
3.2.1.2.	The consonance of intervals.....	3-17
3.2.1.3.	A brief history of scales.....	3-19
3.2.1.4.	The tuning gap (between what you tune to and what you'd like to hear)..	3-21
3.2.1.5.	The tuning error (between what you tune to and what your guitar plays).	3-22
3.2.1.6.	Achieving pitch accuracy .....	3-23
3.2.1.7.	Dealing with inharmonicity .....	3-23
3.2.2.	The acoustic response characteristics of a guitar.....	3-23
3.2.2.1.	A perfect frequency response? .....	3-24
3.2.2.2.	Guitar performance factors: "Volume and tone".....	3-29
3.2.2.3.	Nomenclature .....	3-29
3.2.2.4.	Tonal qualities of a Dreadnought guitar used for flat picking.....	3-33
3.2.2.5.	Tonal qualities of a steel string guitar for finger style playing .....	3-35

3.2.2.6.	Tonal qualities of a classical guitar.....	3-36
3.2.2.7.	Tonal qualities of a flamenco guitar (flamenco blanca).....	3-38
4.	Component Design .....	4-2
4.1.	Wood as an organic material.....	4-2
4.1.1.	The composition of wood .....	4-3
4.1.2.	The annual cycle .....	4-5
4.1.3.	Dealing with moisture .....	4-5
4.1.4.	Dealing with runout .....	4-9
4.1.5.	Storing wood .....	4-11
4.2.	Guitar woods .....	4-12
4.2.1.	Top woods.....	4-13
4.2.2.	Back and side woods.....	4-14
4.2.3.	Neck woods .....	4-15
4.2.4.	Brace woods .....	4-15
4.2.5.	Fretboard woods.....	4-16
4.2.6.	Bridge woods .....	4-17
4.2.7.	Woods for other components.....	4-17
4.3.	Wood properties that matter .....	4-18
4.3.1.	The sound radiation coefficient .....	4-18
4.3.2.	The damping factor.....	4-20
4.3.3.	Measuring wood properties .....	4-21
4.3.3.1.	Measurement of Q.....	4-21
4.3.3.2.	Measurement of logarithmic decrement.....	4-23
4.3.3.3.	Potential difficulties .....	4-26
4.3.3.4.	Long grain damping vs. cross grain damping.....	4-28
4.3.3.5.	Tap testing for "Q" .....	4-29
4.3.4.	Conditioning wood .....	4-29
4.3.5.	Section summary .....	4-30
4.4.	Design of braces and bracing systems.....	4-31
4.4.1.	Bending stiffness .....	4-31
4.4.2.	Brace design criteria .....	4-32
4.4.3.	Calculating the second moment of area of a brace .....	4-35
4.4.4.	Measurement of Young's modulus E for brace material .....	4-38
4.4.5.	Determination of soundboard flexural rigidity .....	4-40
4.4.6.	Carbon fibre reinforced braces.....	4-45
4.4.6.1.	Designing Composite Braces .....	4-46
4.4.6.2.	Balancing brace stiffness to panel stiffness .....	4-48
4.4.7.	Stress limits for braces.....	4-48
4.4.8.	Top bracing layout - guidelines.....	4-52
4.4.9.	Back bracing .....	4-52
4.4.10.	Section summary .....	4-53
4.5.	Design of plates .....	4-55
4.5.1.	Waves in plates.....	4-55
4.5.2.	The tap tone method of establishing wood properties .....	4-57
4.5.3.	Establishing the target plate thickness.....	4-60
4.5.4.	Sensitivity to long and cross grain stiffness variations.....	4-64
4.5.5.	Panel design decisions.....	4-64
4.5.6.	Chapter summary.....	4-65
4.6.	Body shapes and the design of other components.....	4-66
4.6.1.	Bridge design.....	4-66
4.6.1.1.	The bridge as a distributor of string loading .....	4-66
4.6.1.2.	Positioning the bridge on X-braced guitars .....	4-66
4.6.1.3.	Bridge mass and stiffness.....	4-68
4.6.1.4.	Steel string bridge planform .....	4-69
4.6.1.5.	The bridge plate.....	4-71
4.6.1.6.	Classical guitar bridges .....	4-71
4.6.2.	Linings .....	4-73
4.6.3.	End blocks.....	4-73

4.6.4.	Cutaways .....	4-73
4.6.5.	Neck joint.....	4-74
4.6.6.	Fretboard - fret spacing.....	4-77
4.6.7.	Neck cross sectional shape .....	4-77
4.6.8.	Truss rods .....	4-80
4.6.9.	The nut .....	4-81
4.6.10.	Headstock .....	4-82
4.6.11.	Body shape.....	4-84
4.6.11.1.	Size and shape .....	4-84
4.6.11.2.	Body shape proportions .....	4-87
4.6.11.3.	Designing body shapes .....	4-88
4.6.12.	Section summary .....	4-90
4.7.	Intonation .....	4-91
4.7.1.	A first source of intonation error.....	4-91
4.7.2.	A second source of intonation error.....	4-93
4.7.2.1.	Fixing intonation errors due to body resonances.....	4-93
4.7.2.2.	Resonance shifting .....	4-93
4.7.2.3.	Empirical nut and saddle intonation .....	4-95
4.7.2.4.	A simple intonation fix .....	4-98
4.7.3.	Intonation for a high performance guitar .....	4-99
4.7.3.1.	Measuring a string's longitudinal stiffness.....	4-99
4.7.3.2.	Calculating the change in path length as the string is fretted.....	4-103
4.7.3.3.	The effect of string bending stiffness on intonation error.....	4-111
4.7.4.	Compensation without most of the mathematics .....	4-112
4.7.5.	Section summary .....	4-113
5.	Layout Procedure.....	5-2
5.1.	Drafting the layout of a steel string guitar .....	5-2
5.2.	Drafting the layout of a classical guitar.....	5-5
5.3.	Section summary .....	5-6
AI 1.	Technical note on collecting spectrographic data.....	AI 1
AI 2.	Using Chladni's technique to visualise vibration modes.....	AI 3
AII 1.	Deflection of the soundboard under oscillating longitudinal string forces .....	AII 1
AII 2.	4 Degree of Freedom model of low frequency guitar function .....	AII 5
AII 3.	Fretboard Curvature .....	AII 11
AIII 1.	Frequency look-up table.....	AIII 1
AIV 1.	Bending waves on plates .....	AIV 1