

Build Volume – Table of Contents

Acknowledgements
Reviews
Forewords to 1st, 2nd and 3rd Editions
Preface

1.	Introduction.....	1-2
2.	A Brief Review of Assembly Systems	2-2
2.1.	Free assembly methods	2-3
2.2.	Constrained assembly methods	2-4
3.	Our Approach to Building	3-2
3.1.	Our building system	3-2
3.1.1.	The outside mould	3-5
3.1.2.	The use of dishes and go-bar decks	3-6
3.1.3.	The bolt-on neck	3-7
3.1.4.	Order of construction	3-9
3.1.5.	Assembly flow chart.....	3-9
4.	Workshop, Tools, Equipment and Jigs.....	4-2
4.1.	The workshop and humidity control	4-2
4.2.	Stationary machinery	4-4
4.3.	Hand power tools	4-5
4.4.	Hand edge tools.....	4-5
4.4.1.	Standard bench planes.....	4-7
4.4.2.	Block planes	4-9
4.4.3.	Finger planes.....	4-10
4.4.4.	High angle planes.....	4-10
4.4.5.	Scrapers	4-11
4.4.6.	Shaves.....	4-11
4.4.7.	Chisels.....	4-11
4.4.8.	Saws	4-13
4.4.9.	Rasps, microplanes and files	4-13
4.4.10.	Sanding blocks.....	4-13
4.5.	Sharpening tools and process	4-14
4.6.	Measuring instruments and marking tools.....	4-16
4.7.	Clamps.....	4-16
4.7.1.	Spring clamps.....	4-16
4.7.2.	F - clamps	4-16
4.7.3.	G - clamps	4-16
4.7.4.	Instrument maker's clamps	4-16
4.7.5.	Trigger action clamps.....	4-17
4.7.6.	Parallel screw clamps.....	4-17
4.8.	Special tooling, fixtures and jigs.....	4-17
4.8.1.	Body shape template	4-17
4.8.2.	Body mould	4-19
4.8.3.	Go-bar deck	4-25
4.8.4.	Dished work boards	4-26
4.8.5.	Side bending equipment.....	4-29
4.8.6.	Binding ledge routing machine	4-35
4.8.7.	Panel joining fixture.....	4-40
4.8.8.	Bench accessories	4-40
4.8.8.1.	Bench hooks	4-40
4.8.8.2.	Shooting board.....	4-40
4.8.8.3.	Panel planing board.....	4-43
4.8.8.4.	Thickness gauge	4-43
4.8.8.5.	Neck carving horse	4-43
4.8.9.	Routing aids	4-43
4.8.9.1.	A custom fence for routing bridges.....	4-45
4.8.9.2.	A trammelling router base for circle cutting	4-45

4.8.9.3.	A simple router table.....	4-45
4.8.9.4.	Rectangular work board.....	4-45
4.8.9.5.	Bridge routing jig.....	4-47
4.8.9.6.	Body mortise routing fixture.....	4-47
4.8.9.7.	Brace bottom curve routing fixture.....	4-49
4.8.10.	Neck bolt drilling jig.....	4-49
4.8.11.	Neck tapering fixture.....	4-49
4.8.12.	Classical headstock barrel boring jig.....	4-49
4.8.13.	Fretboard caul.....	4-50
4.8.14.	String spacing tool for nut layouts.....	4-51
4.9.	Glues and general gluing practice.....	4-52
4.9.1.	Types of glue and their uses.....	4-52
4.9.2.	Gluing practice.....	4-54
4.10.	Finishes.....	4-55
4.11.	Craftsmanship counts.....	4-55
5.	The Neck.....	5-2
5.1.	Building the neck blank.....	5-4
5.2.	Cutting the truss rod slot.....	5-9
5.2.1.	Marking out the truss rod slot.....	5-9
5.2.2.	Routing the truss rod slot.....	5-9
5.3.	Cutting the neck tenon.....	5-11
5.3.1.	Marking out the neck tenon.....	5-11
5.3.2.	Making the cuts.....	5-13
6.	Joining and Thicknessing the Panels.....	6-2
6.1.	Squaring and surfacing the panels.....	6-2
6.2.	Tap testing the panels.....	6-7
6.3.	Joining the panels.....	6-8
6.3.1.	Shooting the edges – top and back panels.....	6-8
6.3.2.	Joining the panels.....	6-10
6.4.	Rosette making.....	6-11
6.4.1.	A traditional rosette for a steel string guitar.....	6-11
6.4.1.1.	Making the rosette former.....	6-11
6.4.1.2.	Squaring the ends of the shell segments.....	6-11
6.4.1.3.	Assembling the shell ring.....	6-13
6.4.1.4.	Inlaying the rosette into the soundboard.....	6-15
6.4.1.5.	Levelling the rosette.....	6-20
6.4.2.	A contemporary rosette for steel string or classical guitar.....	6-20
6.4.2.1.	Producing a burl slice.....	6-20
6.4.2.2.	Routing the rosette blank.....	6-23
6.4.2.3.	Inlaying the rosette into the soundboard.....	6-23
6.5.	Final thicknessing.....	6-27
6.6.	Sound hole reinforcement patch.....	6-29
6.6.1.	Assembling and shaping the patch blank.....	6-29
6.6.2.	Gluing down the sound hole patch.....	6-29
6.7.	Cutting out the sound hole.....	6-31
6.7.1.	Tapering the inside edge of the sound hole.....	6-31
6.8.	Thicknessing the sides.....	6-31
7.	Making Braces.....	7-2
7.1.	Preparing back braces and conventional X-braces for tops.....	7-3
7.1.1.	Machining the curve on the base of the brace.....	7-5
7.1.1.1.	Router method.....	7-5
7.1.1.2.	Hand tool method.....	7-7
7.1.1.3.	Finishing braces.....	7-7
7.2.	Making lattice bracing.....	7-7
7.3.	Making falcate braces.....	7-10
7.3.1.	Preparing the laminates.....	7-10
7.3.2.	Bending the laminates.....	7-11
7.3.3.	Trimming the braces to size.....	7-13
7.3.4.	Tertiary braces and sound hole bracing.....	7-13
7.3.5.	Upper transverse brace.....	7-13
7.3.6.	The bridge plate.....	7-13

8.	Bending the Sides.....	8-2
8.1.	Preparing the sides for bending.....	8-2
8.2.	Using a bending iron.....	8-4
8.3.	Using a side bending machine.....	8-6
8.4.	Bending a Venetian cutaway.....	8-8
8.5.	Fitting the sides to the mould.....	8-12
8.5.1.	For a non-cutaway guitar.....	8-12
8.5.2.	For a cutaway guitar.....	8-12
9.	Making the End Blocks and Linings.....	9-2
9.1.	Making the tail block.....	9-2
9.2.	Making the standard bolt-on head block.....	9-4
9.3.	Making the bolt-on, bolt-off head block for a Venetian cutaway.....	9-5
9.4.	Making the linings.....	9-7
9.4.1.	Preparing top linings.....	9-7
9.4.2.	Preparing back linings.....	9-9
9.5.	Making side splints.....	9-10
9.6.	Making the mass support blocks.....	9-11
10.	Assembling the Sides, End Blocks and Linings.....	10-2
10.1.	Gluing in the end blocks.....	10-2
10.1.1.	For a non-cutaway guitar.....	10-2
10.1.2.	For a cutaway guitar.....	10-3
10.2.	Fitting the linings.....	10-5
10.2.1.	Marking the reference lines.....	10-5
10.2.2.	Installing the laminated top linings.....	10-7
10.2.3.	Fitting the tail block splint.....	10-9
10.2.4.	Marking out and trimming the side profile to take the back panel.....	10-11
10.2.5.	Installing the back linings.....	10-11
10.2.6.	Fitting the side splints.....	10-13
10.2.7.	Marking out and trimming the side profile to take the top panel.....	10-13
11.	Bracing the Panels.....	11-2
11.1.	Bracing the back.....	11-2
11.1.1.	Radially braced "Live" back.....	11-3
11.1.1.1.	Installing the marriage strip.....	11-3
11.1.1.2.	Shaping the marriage strip.....	11-5
11.1.1.3.	Letting in the transverse braces.....	11-5
11.1.1.4.	Gluing in the braces.....	11-5
11.1.1.5.	Scalloping the back braces.....	11-7
11.1.2.	Ladder braced back.....	11-9
11.2.	Bracing the top.....	11-11
11.2.1.	Bracing styles.....	11-11
11.2.2.	X-braced top.....	11-14
11.2.2.1.	Layout the brace positions.....	11-16
11.2.2.2.	Bridge plate and upper transverse brace.....	11-16
11.2.2.3.	Fitting the X-braces.....	11-18
11.2.2.4.	The upper and lower face braces.....	11-20
11.2.2.5.	The finger braces.....	11-20
11.2.2.6.	Carving the braces.....	11-20
11.2.2.7.	Carving the finger braces and face braces.....	11-22
11.2.2.8.	Carving the X-joint.....	11-22
11.2.2.9.	Scalloping the outboard ends of the braces.....	11-22
11.2.2.10.	Tapering the braces.....	11-22
11.2.2.11.	The linen patch.....	11-26
11.2.2.12.	The sound hole braces.....	11-26
11.2.2.13.	Note on J45 back bracing.....	11-26
11.2.2.14.	Note on post-finishing brace tuning.....	11-26
11.2.3.	Fan braced top.....	11-28
11.2.3.1.	Layout the brace positions.....	11-30
11.2.3.2.	The fan braces.....	11-32
11.2.3.3.	Arching the bottoms of the braces.....	11-32
11.2.3.4.	Making the bridge plate.....	11-32
11.2.3.5.	Rebating the fan braces.....	11-34

11.2.3.6.	Gluing on the bridge plate	11-34
11.2.3.7.	Gluing on the fan braces	11-34
11.2.3.8.	Carving the fan braces	11-34
11.2.3.9.	Gluing on the closing bars and twin lower transverse braces	11-36
11.2.3.10.	Gluing on the upper transverse brace(s)	11-36
11.2.3.11.	Shaping the closing bars and transverse braces	11-36
11.2.3.12.	A note on back bracing for Fleta style guitars.....	11-38
11.2.3.13.	Note on post-finishing brace tuning	11-38
11.2.4.	Lattice braced top.....	11-39
11.2.4.1.	Laying out the lattice position	11-41
11.2.4.2.	Gluing down the lattice	11-41
11.2.4.3.	Carving the lattice.....	11-43
11.2.4.4.	Overlaying the lattice with carbon strands	11-45
11.2.4.5.	Adding the final braces	11-45
11.2.4.6.	Note on back bracing.....	11-45
11.2.5.	Falcate braced top for a 12 th fret neck joint steel string guitar	11-47
11.2.5.1.	Laying out the bridge plate position	11-48
11.2.5.2.	Drill the bridge pins holes.....	11-49
11.2.5.3.	Glue down the bridge plate and primary braces.....	11-49
11.2.5.4.	Secondary, tertiary and sound hole bracing	11-52
11.2.5.5.	Shaping the braces	11-52
11.2.5.6.	Overlaying the bracing with carbon strands	11-52
11.2.5.7.	The upper transverse brace	11-52
11.2.5.8.	Note on back bracing for falcate braced guitars	11-55
12.	Assembling the Top, Back and Sides.....	12-2
12.1.	Final shaping of the sides' top and back edges	12-2
12.2.	Fitting the back panel	12-4
12.3.	Fitting the top panel	12-6
12.4.	Gluing the back panel to the sides.....	12-11
12.5.	Checking the neck geometry.....	12-13
12.6.	Gluing the soundboard to the sides.....	12-16
12.7.	Thinning the edges of the top panel.....	12-18
13.	Binding and Purfling	13-2
13.1.	Making the bindings	13-2
13.2.	Cutting the binding and purfling rebates.....	13-6
13.2.1.	Planning the binding and purfling.....	13-6
13.2.2.	Cutting the stepped rebate	13-6
13.3.	Bending and fitting the bindings and purfling	13-9
13.4.	Applying the binding and purfling	13-11
13.5.	Levelling the bindings	13-15
13.6.	Note on fitting shell purfling	13-17
13.7.	Fitting the tail strip.....	13-18
13.7.1.	Making the tail strip	13-18
13.7.2.	Chiselling the tail strip channel.....	13-18
14.	The Neck, Part 2; Fitting and Preliminary Shaping	14-2
14.1.	Setting up the guitar in the holding fixture	14-2
14.2.	Routing the body mortise	14-5
14.3.	Fitting the neck.....	14-5
14.3.1.	Adjusting the tenon for width	14-5
14.3.2.	Trimming the tenon to length and depth.....	14-7
14.3.3.	Correcting the yaw angle.....	14-7
14.3.4.	Correcting the pitch angle.....	14-7
14.3.5.	Drilling the mortise for the bolt bar	14-11
14.4.	Drilling the holes for the head block bolts	14-13
14.5.	Counterboring the head block	14-13
14.6.	Drilling the bolt holes in the neck	14-16
14.7.	Preliminary shaping of the neck	14-18
14.7.1.	Establishing the longitudinal thickness taper	14-18
14.7.2.	Thickening the headstock	14-18
14.7.3.	Blending the head/neck curves.....	14-20
14.7.4.	Preliminary carving of the heel	14-20

15.	Making the Fretboard	15-2
15.1.	Preparing the fretboard blank	15-3
15.2.	Cutting the fret slots	15-3
15.2.1.	Fret slot spacing	15-3
15.2.2.	Low technology fret slotting	15-4
15.2.3.	Higher technology fret slotting	15-4
15.3.	Machining the nut ledge	15-6
15.3.1.	Nut ledge for a fully compensated nut	15-6
15.3.2.	Nut ledge with no nut compensation	15-8
15.4.	Crowning the fretboard	15-8
15.5.	Tapering the fretboard	15-10
15.6.	Bass side relief for classical fretboards	15-11
15.7.	Fretting	15-13
15.7.1.	Choice of fret wire	15-13
15.7.2.	Preparing the fretboard for fretting	15-14
15.7.3.	Pressing in frets	15-15
15.7.4.	Hammering in frets	15-17
15.8.	Trimming the body end of the fretboard	15-17
16.	The Bolt-On, Bolt-Off Neck Joint	16-2
16.1.	Routing the neck extension pocket	16-4
16.2.	Re-establishing the truss rod groove in the neck extension	16-7
16.3.	Fitting the T-nuts to the neck extension	16-7
16.4.	Special requirements for the bolt-on bolt-off neck for classical guitars	16-9
17.	Making the Adjustable Truss Rod	17-2
17.1.	The single acting truss rod	17-2
17.1.1.	Making the adjusting nut	17-3
17.1.2.	Making the stop block	17-5
17.1.3.	Making the truss rod	17-5
17.2.	The double acting truss rod	17-10
18.	The Neck Part 3; The Headstock, Fretboard Gluing, Final Carving and Heel Cap ...	18-2
18.1.	Adding the ears	18-2
18.2.	Making the headstock laminate	18-2
18.3.	Gluing the headstock laminate	18-3
18.4.	Shaping the headstock	18-3
18.5.	Fitting the tuning machines	18-7
18.6.	Gluing on the fretboard	18-9
18.7.	Shaping the neck	18-11
18.7.1.	Squaring the neck	18-11
18.7.2.	Drafting the cross sectional profile of the neck	18-14
18.8.	Fitting the heel cap	18-18
18.9.	Installing the fret markers	18-18
18.10.	Final fitting of the standard neck to the body	18-21
19.	Finishing	19-2
19.1.	Surface preparation	19-2
19.2.	Grain filling	19-4
19.2.1.	Using a traditional oil-based grain filler	19-4
19.2.2.	Using an epoxy fill	19-6
19.2.3.	A note on sanding technique	19-8
19.3.	Finish application	19-9
19.3.1.	Spray equipment set up and technique	19-9
19.3.2.	Spraying pattern and schedule	19-9
19.4.	Sanding and buffing	19-11
19.5.	French polishing a guitar top	19-13
19.6.	Advanced shellac pore-fill and finish	19-14
19.6.1.	The shellac mix	19-15
19.6.2.	The application pad	19-15
19.6.3.	Hardware and abrasives	19-15
19.6.4.	The process	19-16
19.7.	Assembling the neck and body	19-17

20.	The Bridge and Saddle	20-2
20.1.	The bridge: requirements.....	20-2
20.2.	Construction of a contemporary bridge for a classical guitar.....	20-6
20.2.1.	Gluing on a classical guitar bridge.....	20-10
20.3.	Construction of a contemporary bridge for a steel string guitar.....	20-14
20.3.1.	Gluing on a steel string guitar bridge	20-17
20.3.2.	Routing a saddle slot with the bridge glued down.....	20-19
20.4.	Final detailing of the bridge	20-19
21.	Fitting the Tuners, Nut, Saddle and Pickguard.....	21-2
21.1.	Tuner requirements.....	21-2
21.2.	Fitting sealed tuners on a steel string guitar	21-2
21.3.	Fitting slot head tuners on a classical guitar.....	21-4
21.4.	Fitting planetary pegs on a neo-classical guitar	21-5
21.5.	The nut.....	21-6
21.5.1.	The nut blank	21-6
21.5.2.	Machining the compensated nut	21-8
21.5.3.	Fitting the nut.....	21-8
21.6.	The saddle	21-11
21.6.1.	Making the saddle	21-11
21.6.2.	Compensating the saddle	21-13
21.6.3.	Compensating a conventional saddle.....	21-13
21.7.	Frequency response after stringing	21-15
21.8.	Fitting a pickguard	21-16
21.8.1.	Designing the pickguard shape.....	21-16
21.8.2.	Making the pickguard template.....	21-16
21.8.3.	Making the pickguard.....	21-18
21.8.4.	Applying the pickguard.....	21-20
22.	Adjustments	22-2
22.1.	Final string set-up – relief and action	22-2
22.2.	Trouble shooting the string set-up.....	22-2
22.2.1.	Rattles only on open strings.....	22-3
22.2.2.	Rattles that persist over most of the fretboard	22-3
22.2.3.	Rattles on particular frets	22-3
22.2.4.	Rattles on a range of lower frets.....	22-3
22.2.5.	Fret dressing	22-4
22.2.6.	Removing frets	22-5
22.2.7.	Rattles on a classical guitar D (4 th) string	22-5
22.2.8.	Buzz on the 4 th string of a classical guitar	22-6
22.2.9.	Deadness on a classical guitar G (3 rd) string.....	22-6
22.2.10.	Deadness on particular fretted notes.....	22-6
22.3.	Trimming body resonances.....	22-6
22.3.1.	Adjusting the top main resonance.....	22-7
22.3.1.1.	Using side masses.....	22-8
22.3.1.2.	By adjusting the back resonant frequency	22-8
22.3.1.3.	By adjusting the cavity resonant frequency.....	22-8
22.3.1.4.	By adding mass to or removing mass from the top	22-8
22.3.1.5.	Results of making top adjustments.....	22-9
22.3.2.	Adjusting the cavity resonance.....	22-10
22.3.3.	Adjusting the back resonance.....	22-10
22.3.4.	Cumulative changes to modal resonant frequencies	22-11
22.3.5.	Fixing extraneous dud notes	22-11
23.	Reflections.....	23-2
A1 1.	Appendix I; The shipwright's compass	A1 1-1
A2 1.	Appendix II; Fret spacing for common scale lengths.....	A2 1-1

Glossary

Index

About Trevor and Gerard

Drawings 1-6 (Envelope inside back cover)